



**Short-Throw Zoom Lens for 3-Chip DLP™ Projectors**

## **ET-D3LEW200 ( for 3-Chip DLP™ Projectors )**

The Zero Offset Ultra Short Throw Fixed-Focus Lens is designed for compatibility with RZ21 series, RZ31 series projectors.

### **Key Features**

---

Minimize Throw Distance, Increase Flexibility

---

Wide-Range Adjustment After Projector Installation

---

Lens Design Delivers an Unobstructed View

ET-D3LEW200 ( for  
3-Chip DLP™  
Projectors )

<https://latam.connect.panasonic.com/br/pt/et-d3lew200for-3-chip-dlptm-projectors>

<b>Lens type</b>	Short-Throw Zoom Lens
<b>F-number</b>	2.5
<b>Focal length (f)</b>	13.8-18.1 mm (17/32"-23/32")
<b>Screen size</b>	200-600 inches
<b>Throw ratio -&gt; 4K+</b>	0.693 ~ 0.913:1
<b>Throw ratio -&gt; WUXGA</b>	0.645 ~ 0.850:1
<b>Throw ratio -&gt; SXGA+</b>	0.699 ~ 0.921:1
<b>Auto Lens Identification function</b>	PT-RQ32K/RZ31K/RS30K/RQ25K/RZ24K/RQ18K/RZ17K/
<b>Compatible models</b>	RZ14K/RQ22K/RZ21K/RS20K
<b>Lens-shift -&gt; Vertical</b>	±56 %
<b>Lens-shift -&gt; Horizontal</b>	±19 %
<b>Zoom</b>	Yes
<b>Dimensions -&gt; (W)</b>	250 mm(9 27/32")
<b>Dimensions -&gt; (H)</b>	193 mm(7 19/32")
<b>Dimensions -&gt; (D)</b>	495 mm(19 1/2")
<b>Weight</b>	Approx. 9.0 kg (19.8 lbs)
<b>Applicable projectors</b>	RQ35K Series/RQ32K/RZ31K Series/RQ25K Series/RQ22K/RZ21K Series/RZ16K/RZ14K
<b>Footnote Description</b>	* Value is for ceiling installations using the PT-RQ22K. Lens-shift value will vary by model. Please see the Throw Distance Calculator for more information. For floor installations, up and right shift will be defined as a positive value. Down and left shift will be defined as a negative value.

