



Switcher compacto para vídeo de alta calidad

## AV-HSW10

IP Live Switcher con un diseño intuitivo y compacto de nueva generación.

### Key Features

Varias Interfaces para cubrir una amplia gama de necesidades

Diferentes keyers incluidos para vídeos más atractivos

Multivisor con 10 patrones seleccionables

Mando a distancia con software del panel de control

AV-HSW10

<https://latam.connect.panasonic.com/pa/es/products/broadcast-proav/av-hsw10>

<b>Video Input</b>	3G-SDI
	Baseband mode: 4 or 3
	IP mode: 1
	HDMI
	Baseband mode: 1 or 2
	IP mode: 1
	NDI®*1*2/Streaming
	Baseband mode: 2
	IP mode: 3
<b>Video Output</b>	3G-SDI
	Baseband mode: 2
	IP mode: 2
	HDMI
	Baseband mode: 1
	IP mode: 2
	NDI®*1*2/Streaming
	Baseband mode: 2
	IP mode: 2
<b>Video Format</b>	
<b>3G-SDI</b>	1080/59.94p,50p,29.97p,25p,24p,23.98p
	1080/59.94i,50i
	720/59.94p,50p
<b>Audio</b>	IN: RCA x 2, OUT: φ3.5 mm TRS
<b>Frame Synchronizer</b>	All inputs
<b>CC/UC/DC</b>	i/P converter, DC/UC (1080-720P), CC
<b>Keyer</b>	2 (PinP, Linear key, Luminance key, Chroma key)
<b>AUX</b>	2
<b>USB Video Class Output</b>	USB Type-C, 1ch
<b>Genlock</b>	BB or Tri-level (Input/through output)
<b>PTZ Link</b>	Switcher Link, TSL5.0
<b>VMEM</b>	Still x 2
<b>Shot MEM</b>	Max. 12 presets
<b>USB</b>	USB-Type A x 1 (USB Memory)
<b>Dimensions (W x H x D) (excluding protrusions)</b>	254 mm x 175 mm x 67 mm (10 inches x 6-7/8 inches x 2-5/8 inches)
<b>Power Consumption</b>	45 W (TBD)
	1080/59.94p,50p,29.97p,25p,24p,23.98p
	720/59.94p,50p
	1920 x 1080p, 1280 x 720p